





SICIS





Vicky Yacht · Proteksan-Turquoise (Turkey)





GARAGE: The garage can house two tenders, one of them a limo. Side doors hinge up for easy access.

DUAL DAYHEADS: A small dayhead for the owner was added to his study and another is located off the lobby for guest use.

SPA: Guests can take a dip in the sea following their spa treatment or workout, thanks to a folding door that doubles as a swim platform.

CREW ACCESS: With the owner's suite amidships, the designer had to incorporate two sets of service stairs so crew could get fore and aft.

*Tank Deck omitted

Specifications:

Builder: Proteksan-Turquoise Istanbul, Turkey Tel: +90 216 493 82 48 Email: info@proteksan-turquoise.com www.proteksan-turquoise.com LOA: 238' 4" (72.6m)
LWL: 210' 6" (64.2m)
BEAM: 40' 1" (12.2m)
DRAFT: 13' 1" (4m)

DISPLACEMENT: 1,323 tonnes GROSS TONNAGE: 1,730 GT

POWER: 2 x Caterpillar 3516B HD SPEED (MAX/CRUISE): 17/15 knots RANGE: 4,000 nm @ 15 knots BOWTHRUSTER: 190kW HRP GENERATORS: 4 x 200kW Caterpillar C9

STABILIZERS: Quantum QC2200, zero-speed

FUEL CAPACITY: 53,521 U.S. gallons
WATER CAPACITY: 9,536 U.S. gallons
OWNER AND GUESTS: 14

CREW: 1

TENDER: Novurania Chase GS420

CONSTRUCTION: Steel and aluminum

CLASSIFICATION: Lloyd's, №100 A1 SSC Yacht Mono G6, №LMC, UMS, MCA LY2 compliant

NAVAL ARCHITECTURE: Proteksan-Turquoise
INTERIOR AND EXTERIOR

DESIGN: H2 Yacht Design





















